

30 March 2020

Global

714,213
cases

33,485
deaths

202
countries/territories/areas


HIGHLIGHTS

In the Region of the Americas, 51 of 54 countries/territories/areas have now reported confirmed COVID-19 cases. Majority of the cases (86%) and deaths (85%) in the region have been reported from the United States of America which continues to be in the acceleration phase of the pandemic.

- **In the US**, cases have been reported from all 50 states and Washington DC, but the highest proportion have currently been reported from New York (59,219) and New Jersey (13,386) states. Subsequently on 28 March, a domestic travel advisory was issued by the U.S. CDC for New York, New Jersey and Connecticut states, citing "extensive community transmission of COVID-19 in the area". [CDC](#)
- **Other countries in the PAHO region** with the highest cumulative number of cases to date excluding the United States include Canada (6,317), Brazil (4,256), Chile (2,449) and Ecuador (1,962). (see table on right)
- **Of the 51 countries/territories reporting confirmed cases in the region**, 28 of them have reported 2,836 COVID-19 deaths.
- **Bolivia** reported their first COVID-19 deaths – a total of 5 deaths were reported in the past 24 hours – further information is pending.

In China, one (1) new domestic case from Gansu and 30 new imported cases were reported in the past 24 hours. Four (4) new deaths were reported – all in Wuhan, Hubei.

The 10 countries with the highest number of cumulative cases globally as of 3/30/2020



PAHO

163,068 (+15%)
Confirmed cases

51
Countries/areas/territories


2,836 (+15%)
Deaths

Countries with >700 cumulative cases (PAHO). 3.30.2020

Country/Territory	Cases	Deaths
USA	140,694	2,398
Canada	6,317	66
Brazil	4,256	136
Chile	2,449	8
Ecuador	1,962	60
Mexico	993	20
Panama	989	24
Dominican Republic	901	42
Peru	852	11
Argentina	820	20
Colombia	702	10


Latest global case numbers by country: <https://bit.ly/33MXR1i>

Map 1. Reported COVID-19 cases in the Region of the Americas. As of 30 March 2020



Data Sources: Member States Ministries of Health
Map Production: Health Emergency Information & Risk Assessment (HIM),
PAHO Health Emergencies Department (PHE)
Digital cartography sources: SALB-PAHO

© PAHO-WHO, 2020. All rights reserved
The designations employed and the presentation of the material in these maps do not imply the expression of any opinion whatsoever on the part of the Secretariat of the Pan American Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

<div>  <div> Pan American Health Organization </div>  <div> World Health Organization REGIONAL OFFICE FOR THE AMERICAS </div> </div> <div> Cumulative suspected and confirmed COVID-19 cases reported by countries and territories in the Americas, as of 30 March 2020 </div> <div> Updated as of 2 PM </div>					
Sub-Region	Country/Territory	Cases		Deaths	Transmission Type
		Confirmed	Suspected		
North America	Canada	6,317		66	Community transmission
	Mexico	993	2,564	20	Community transmission
	United States of America (the)	140,694		2,398	Community transmission
	Subtotal	148,004	2,564	2,484	
Central America	Belize	3			Sporadic cases
	Costa Rica	314	34	2	Clusters of cases
	El Salvador	30	12		Sporadic cases
	Guatemala	36	45	1	Clusters of cases
	Honduras	139		2	Clusters of cases
	Nicaragua	4		1	Sporadic cases
	Panama	989		24	Community transmission
	Subtotal	1,515	91	30	
South America	Argentina	820	2	20	Clusters of cases
	Bolivia	97	16	5	Clusters of cases
	Brazil	4,256	11,278	136	Community transmission
	Chile	2,449		8	Community transmission
	Colombia	702	184	10	Clusters of cases
	Ecuador	1,962	3,083	60	Community transmission
	Paraguay	64		3	Clusters of cases
	Peru	852		11	Community transmission
	Uruguay	309			Clusters of cases
	Venezuela (Bolivarian Republic of)	129		3	Clusters of cases
	Subtotal	11,640	14,563	256	
Caribbean and Atlantic Ocean Islands	Anguilla	2			Sporadic cases
	Antigua and Barbuda	7			Sporadic cases
	Aruba	50			
	Bahamas (the)	14			Sporadic cases
	Barbados	33			Clusters of cases
	Bermuda	22	5		Sporadic cases
	Bonaire, Sint Eustatius and Saba				No cases
	Cayman Islands	12		1	Sporadic cases
	Cuba	170	523	4	Clusters of cases
	Curacao	11		1	Sporadic cases
	Dominica	11			Clusters of cases
	Dominican Republic (the)	901		42	Clusters of cases
	French Guiana	43			
	Grenada	9			Cluster of cases
	Guadeloupe	106		4	Clusters of cases
	Guyana	8		1	Sporadic cases
	Haiti	15	127		Sporadic cases
	Jamaica	36		1	Clusters of cases
	Martinique	111		2	Clusters of cases
	Montserrat	5	8		Sporadic cases
	Puerto Rico	174	794	6	Clusters of cases
	Saint Barthélemy	6			Sporadic cases
	Saint Kitts and Nevis	2			Sporadic cases
	Saint Lucia	9			Sporadic cases
	Saint Martin	18		1	Sporadic cases
	Saint Vincent and the Grenadines	1	1		Sporadic cases
	Sint Maarten	6	8		Sporadic cases
	Suriname	8			Sporadic cases
	Trinidad and Tobago	82		3	Clusters of cases
	Turks and Caicos	5	8	0	Sporadic cases
	Virgin Islands (UK)	2	9		Sporadic cases
	Virgin Islands (US)	30	24		Clusters of cases
	Subtotal	1,909	1,507	66	
Total		163,068	18,725	2,836	

New Country

Data Updated

Note: WHO recommends using the following categories to describe **transmission patterns** at national and sub-national levels (wherever possible) to guide decisions for preparedness, readiness and response activities.

Category number	Category name	Definition
1	No cases	Countries/territories/areas with no cases
2	Sporadic cases	Countries/territories/areas with one or more cases, imported or locally detected
3	Clusters of cases	Countries/territories/areas experiencing cases, clustered in time, geographic location and/or by common exposures
4	Community transmission	Countries/area/territories experiencing larger outbreaks of local transmission defined through an assessment of factors including, but not limited to: <ul style="list-style-type: none"> - Large numbers of cases not linkable to transmission chains - Large numbers of cases from sentinel lab surveillance - Multiple unrelated clusters in several areas of the country/territory/area